

Page 1 of 3

Number: 1121 - CPD - AAA029

In compliance with Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products (Construction Products Directive - CPD), amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it is confirmed that the following products are subject to factory production control procedures and are submitted by the manufacturer to further testing of samples taken at the factory in accordance with a prescribed test plan. The stated Notified Certification Body has performed the initial type-testing for the relevant characteristics of the product, has conducted the initial inspection of the factory and the factory production control, and is responsible for the continuous surveillance, assessment and approval of the factory production control.

Construction	product:

Series "DORMA PHA 2000" With zinc die cast latch

Series "DORMA PHA 2000" With steel latch

Placed on the market by:

Company:

DORMA G.m.b.H. + Co. KG

6

Address:

Breckerfelder Straße 42 – 48, D-58256, Ennepetal

Product classification:

3 7

Α

2

A

A

Intended use:

For use on single leaf and double leaf escape route doors, including smoke control

1

doors

Intended use:

3 7 6

В

4

2

A

For use on single leaf and double leaf escape route doors, including fire control doors

This document certifies that all the provisions concerning the attestation of conformity and product performance described in Annex ZA of the product standard

BS EN 1125: 2008

were applied and that the product fulfils all the prescribed requirements.

Notified Certification Body: Warrington Certification Ltd

EC Reference Number: 1121

This certificate was first issued on 11/03/2010 and remains valid as long as the conditions laid down in the harmonised technical specification above, or the product design, or the manufacturing conditions in the factory, or the FPC itself are not modified significantly, or at the latest 10/03/2015.

CE

A.G. Ween

Manager - Warrington Certification Ltd.

References:

Mechanical test evidence: ICIM 51/08, 52/08, 53/08, 54/08, 56/08, 57/08, 59/08

Fire test evidence: Institute Giordano

161718

Classification report:

Factory references:

F001

The referenced reports detail the precise field of application for fire/smoke door use



Page 2 of 3

Number: 1121 - CPD - AAA029

Part Number	Description	Single door	Double door	Fire door
35014 2102 10xx	PHA 2102, Single point locking, modular, steel latch	✓	✓	√
35014 2101 10xx	PHA 2101, Single point locking, modular, zamak latch	✓	√	
35014 2201 10xx	PHA 2201, Two-point only locking	✓	√	
35014 2100 10xx	PHA 2100 Single point locking, not modular, zamak latch	1	√	
35014 2220 1001	PHA 2220, Two-point only locking with shoot bolts	✓	✓	√
35014 2221 1001	PHA 2221, Single point locking, modular shoot bolts, zamak latch	✓	✓	
35014 2104 10xx	PHA 2104, Connecting rod 830mm	✓	✓	√
35014 2105 10xx	PHA 2105, Connecting rod 1130mm	✓	✓	√
35014 2203 10xx	PHX 03, Top & bottom vertical latch, steel latch	₹	√	√
35014 2202 10xx	PHX 02, Top & bottom vertical latch, zamak latch	✓	√	
35014 2207 10xx	PHX 07, Top & bottom lateral latch, steel latch	✓	√	√ ,
35014 2206 10xx	PHX 06, Top & bottom lateral latch, zamak latch	✓	√	
35014 2209 10xx	PHX 09, Top vertical latch, bottom lateral latch, steel latch	1	√	√
35014 2204 10xx	PHX 04, Top/bottom rods/covers, door height max 2270mm	✓	√	√
35014 2205 10xx	PHX 05, Top/bottom rods/covers, door height max 3400mm	✓	✓	√
35014 2225 1001	PHA 2225, Top/bottom shoot bolts, door height max 3400mm	✓	√	√
35014 2421 01xx	PHX 21, Adjustable keeper for aluminium narrow-stile doors	✓	√	
35014 2422 01xx	PHX 22, Adjustable keeper for PVC profile doors	✓	✓	
35014 2450 10xx	PHX 50, Elertric strike	1	✓	
35014 2520 0050	PHX Mounting backplate	✓	√	√
35014 2520 0051	PHX Mounting backplate, top & bottom latch	✓	√	√

Notified Certification Body: Warrington Certification Ltd

EC Reference Number: 1121

This certificate was first issued on 11/03/2010 and remains valid as long as the conditions laid down in the harmonised technical specification referenced, or the product design, or the manufacturing conditions in the factory, or the FPC itself are not modified significantly, or at the latest 10/03/2015.



A.G. Queen

Manager – Warrington Certification Ltd.



. .

Page 3 of 3

EC CERTIFICATE OF CONFORMITY

Number: 1121 - CPD - AAA029

35014 2520 0060	PHA Microswitch	✓	√	√
35014 3905 10xx	PHT 05, external trim, Europrofile cylinder	✓	√	✓
35014 3907 10xx	PHT 07, external trim, Europrofile cylinder, for premium lever handle	✓	√	√
35014 3901 10xx	PHT 01, external trim for standard doors, Europrofile cylinder	✓	✓	
35014 3903 10xx	PHT 03, external trim for standard doors	✓	√	
35014 3906 10xx	PHT 06, external trim, Europrofile cylinder, with knob (Not turnable)	✓	✓	
35014 3920 0060	PHT S 05, Extended spindle, 8mm square	✓	√	√
35014 3920 0050	Gasket Set, fixed to fire door with exit devices	4	√	√
35014 2401 1004	PHA Glass kit A, for single point without external trim	1	√	
35014 24021004	PHA Glass kit B, for single point with external trim, right hand	1	✓	
35014 24031004	PHA Glass kit C, for single point with external trim, left hand	✓	√	
35014 24041004	PHA Glass kit D, for vertical latch	1	√	
35014 25061004	PHA Glass kit F, mounting plates for keeper	√	√	
35014 2507 1004	PHA Glass kit mini, external trim for glass kit B and C	✓	√	

Notified Certification Body: Warrington Certification Ltd

EC Reference Number: 1121

This certificate was first issued on 11/03/2010 and remains valid as long as the conditions laid down in the harmonised technical specification referenced, or the product design, or the manufacturing conditions in the factory, or the FPC itself are not modified significantly, or at the latest 10/03/2015.

 ϵ

A.G. Deein

Manager - Warrington Certification Ltd.